

# 11.2/22.4R

Péetrographie : Alluvions silico-calcaires

FTP 11.2/22.4R 1er semestre 2024

## Partie normative

Valeurs spécifiées sur lesquelles le producteur s'engage

### Norme

Norme NF P 18-545 Article 10 - EN 12620

### Code

A

### Classe granulaire

11.2

22.4


	0.063	0.5	d/2	d	16	D	25	1.4D	2D	AS	f	FI	LA	S	WA24
Etendue e				15		15									
V.S.S.+U	1.8			6		20					1.8				
V.S.S.	1.5			5		15				0.20	1.5	20	20	0.40	2.5
V.S.I.				0		82		98	100						
V.S.I.-U				0		77		97							

## Partie informative

Résultats de production

du 06/07/23 au 12/12/23

	0.063	0.5	5.6	11.2	16	22.4	25	31.5	45	AS	f	FI	LA	S	WA24
Maximum	1.0	2	4	15	68	94	99	100	100		1.0	6			
Xf+1.25xEcart-types	0.7	1	2	10	56	92	99	100	100		0.7	6			
Moyenne Xf	0.3	1	1	5	41	87	97	100	100	0.03	0.3	6	19	<0.01%	1.0
Xf-1.25xEcart-types	0.0	0	0	0	26	82	95	100	100		0.0	5			
Minimum	0.0	0	0	1	26	82	92	100	100		0.0	5			
Ecart-type	0.27	0.5	1.0	4.2	11.9	3.7	2.0	0.0	0.0		0.30	1.0			
Nombre de résultats	18	18	18	18	18	18	18	18	18	1	18	6	1	1	1



Delphine VILLEGER

*Villeger*